

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2	"6414974".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	208	372/38.1.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	0	372/38.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	0	372/38.1.ccls. and ((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2005/10/03 17:41			
2	2005/10/03 17:41			
3	2005/10/03 17:41			
4	2005/10/03 17:50			

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	83	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	0	372/38.1.ccls. and ((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor photodiode))	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	2	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode) same slope)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	57	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) and laser	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
5	2005/10/03 17:52			
6	2005/10/03 17:50			
7	2005/10/03 17:50			
8	2005/10/03 18:01			

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	9	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) and "372"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	0	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) and "372.ccls"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	0	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) and "372".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	4	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) and "372"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
9	2005/10/03 17:56			
10	2005/10/03 17:56			
11	2005/10/03 17:56			
12	2005/10/03 17:57			

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	32	((control\$4 cpu computer process\$3 microprocess\$3) same (driv\$3 supply) same splitter same attenuator same (detector photodetector sensor phtodiode)) same laser	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
13	2005/10/03 18:02			